

AFRIN NO DRIP SEVERE CONGESTION- oxymetazoline hydrochloride spray, metered

Bayer HealthCare LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Afrin[®] No Drip Severe Congestion

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor.

Shake well before use. Before using the first time, remove the protective cap from the tip and prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

Other information

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, microcrystalline cellulose and carboxymethylcellulose sodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments?

Call 1-800-317-2165

Bayer HealthCare LLC, Whippany, NJ, USA, 07981

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin®

NoDrip

Won't drip from nose or down throat

Severe Congestion

PUMP MIST

Fast, Powerful

Congestion

Relief

Colds • Allergies

up to 12

Hour

Relief

Maximum

Strength

plus *Menthol*

#1 Doctor & Pharmacist

Recommended Nasal Spray Brand

1/2 FL OZ (15 mL)

80154558

NO VARNISH



Child Resistant Cap
(see side panel)

Drug Facts

Active ingredient Oxymetazoline hydrochloride 0.05%... **Purpose** Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
 - children under 6 years of age: ask a doctor
- To Use:** Shake well before use. Hold white tabs, press grooved area of cap firmly and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

Afrin® No Drip is a breakthrough in nasal sprays. It stays where you spray it without messy dripping from your nose or down your throat. It is a maximum strength formula with the aromatic power of menthol. It starts to work in seconds providing up to 12 hours of nasal congestion relief without drowsiness.

Up to **12-hour relief** from nasal congestion. Relief lasts **All-Day** or **All-Night**.

Bayer, the Bayer Cross, Afrin and the Afrin Clock and Grid design are registered trademarks of Bayer. © 2016 Bayer. Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981. Product of Germany. 85545108

Bayer

How to use:

Hold white tabs, press grooved area of cap firmly and turn counter clockwise. Secure cap after use.



www.Afrin.com

Afrin®
NoDrip

Severe Congestion

PUMP MIST

SAFETY SEALED: Do not use if seal imprinted "Afrin® Security Seal" is broken or missing.

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin®
NoDrip

Won't drip from nose or down throat

Severe Congestion

PUMP MIST

**Fast, Powerful
Congestion
Relief**

Colds • Allergies



Maximum
Strength
plus
Menthol

#1 Doctor &
Pharmacist Recommended
Nasal Spray Brand

1/2 FL OZ (15 mL)

Oxymetazoline HCl-Nasal Decongestant

Afrin®
NoDrip

Severe Congestion

PUMP MIST

Drug Facts (continued)

Other information

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, microcrystalline cellulose and carboxymethylcellulose sodium, polyethylene glycol, poloxamer, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments?
1-800-317-2165



NO VARNISH

85545108

LOT/EXP AREA
NO VARNISH
NO INK

AFRIN NO DRIP SEVERE CONGESTION

oxymetazoline hydrochloride spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-1350
Route of Administration	NASAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)			OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL
Inactive Ingredients				
Ingredient Name				Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
EUCALYPTOL (UNII: RV6J6604TK)				
MENTHOL (UNII: L7T10EIP3A)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE (UNII: FZ989GH94E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)				
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)				
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-1350-1	1 in 1 CARTON	08/31/2000	
1		15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:11523-1350-2	2 in 1 CARTON	08/31/2000	
2		20 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part341	08/31/2000	

Labeler - Bayer HealthCare LLC (112117283)